


This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (Currently Amended) A pharmaceutical composition comprising:

(a) one or more anticholinergics of formula 1



wherein:

X⁻ is an anion with a single negative charge,

or an enantiomer, mixture of enantiomers, racemate, solvate, or hydrate thereof; and

(b) one or more NK₁ receptor antagonists,


or an enantiomer, mixture of enantiomers, racemate, solvate, or hydrate thereof.

2. (Previously presented) The pharmaceutical composition according to claim 1, wherein X⁻ is chloride, bromide, iodide, sulphate, phosphate, nitrate, maleate, acetate, citrate, fumarate, tartrate, oxalate, succinate, benzoate, 4-toluenesulphonate, or methanesulphonate.

3. (Previously presented) The pharmaceutical composition according to claim 1, wherein X⁻ is bromide.


4. (Currently Amended) The pharmaceutical composition according to claim 1, wherein the NK₁ receptor antagonists are selected from among BIIF 1149, CP-122721, FK-888, NKP 608C, NKP 608A, CGP 60829, SR-48968 (~~Saredutant~~), SR 140333 (~~Nolpitantium besilate/chloride~~), LY 303 870 (~~Lanepitant~~), MEN-11420 (~~Nepadutant~~), SB 223412, MDL-105172A, MDL-103896, MEN-11149, MEN-11467, DNK 333A, SR-144190, YM-49244,

YM-44778, ZM-274773, MEN-10930, S-19752, Neuronorm, YM-35375, DA-5018, MK-869, L-754030, CJ-11974, L-758298, DNK-33A, CJ-11974, TAK-637, GR 205171, N-[2-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-2-{4-[(3-hydroxy-propyl)-methyl-amino]-piperidin-1-yl}-N-methyl-2-phenyl-acetamide, N-[2-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-2-[4-(2-hydroxy-1-hydroxymethyl-ethylamino)-piperidin-1-yl]-N-methyl-2-phenylacetamide, N-[2-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-2-[4-(cyclopropylmethyl-methyl-amino)-piperidin-1-yl]-N-methyl-2-phenyl-acetamide, N-[2-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-2-{4-[(2-hydroxy-ethyl)-(3-hydroxy-propyl)-amino]-piperidin-1-yl}-N-methyl-2-phenyl-acetamide, N-[2-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-2-[4-[cyclopropylmethyl-(3-hydroxy-propyl)-amino]-piperidin-1-yl]-N-methyl-2-phenyl-acetamide, or an arylglycinamide compound of formula 3



wherein:

R¹ and R² together with the N to which they are bound form a ring of formula




wherein r and s are each 2 or 3;

R⁶ is H, -C₁-C₅-alkyl, C₃-C₅-alkenyl, propynyl, hydroxy(C₂-C₄)alkyl, methoxy(C₂-C₄)alkyl, di(C₁-C₃)alkylamino(C₂-C₄)alkyl, amino(C₂-C₄)alkyl, amino, di(C₁-C₃)alkylamino, monofluoro- to perfluoro(C₁-C₂)alkyl, N-methylpiperidinyl, pyridyl, pyrimidinyl, pyrazinyl or pyridazinyl,

R⁷ is one of (a) to (d),

(a) hydroxy

(b) 4-piperidinopiperidyl,




wherein R¹⁶ and R¹⁷ are each independently H, (C₁-C₄)alkyl, (C₃-C₆)cycloalkyl, hydroxy(C₂-C₄)alkyl, dihydroxy(C₂-C₄)alkyl, (C₁-C₃)alkoxy(C₂-C₄)alkyl, phenyl(C₁-C₄)alkyl or di(C₁-C₃)alkylamino(C₂-C₄)alkyl, and

R⁸ is H,


or an enantiomer, mixture of enantiomers, or racemate thereof.

5. (Currently Amended) The pharmaceutical composition according to claim 1, wherein the NK₁ receptor antagonists are selected from the group consisting of BIIF 1149, CP-122721, CGP 60829, MK-869, CJ-11974, GR 205171, N-[2-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-2-{4-[(3-hydroxy-propyl)-methyl-amino]-piperidin-1-yl}-N-methyl-2-phenyl-acetamide, N-[2-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-2-[4-(2-hydroxy-1-hydroxymethyl-ethylamino)-piperidin-1-yl]-N-methyl-2-phenylacetamide, N-[2-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-2-[4-(cyclopropylmethyl-methyl-amino)-piperidin-1-yl]-N-methyl-2-phenyl-acetamide, N-[2-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-2-{4-[(2-hydroxy-ethyl)-(3-hydroxy-propyl)-amino]-piperidin-1-yl}-N-methyl-2-phenyl-acetamide, N-[2-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-2-{4-[cyclopropylmethyl-(3-hydroxy-propyl)-amino]-piperidin-1-yl}-N-methyl-2-phenyl-acetamide, or an arylglycinamide compound of formula 3 wherein:

R¹ and R² together with the N to which they are bound form a ring of formula



wherein s is 2 or 3;



wherein R^{16} and R^{17} are each independently H, (C₁-C₄)alkyl, (C₃-C₆)cycloalkyl, hydroxy(C₂-C₄)alkyl, dihydroxy(C₂-C₄)alkyl, (C₁-C₃)alkoxy(C₂-C₄)alkyl, phenyl(C₁-C₄)alkyl or di(C₁-C₃)alkylamino(C₂-C₄)alkyl, and

R^8 is H,

or an enantiomer, mixture of enantiomers, or racemate thereof.

6. **(Previously presented)** The pharmaceutical compositions according to one of claim 1, wherein the NK₁ receptor antagonist is (S)-N-[2-(3,5-bis-trifluoromethyl-phenyl)-ethyl]-2-[4-(2-hydroxy-1-hydroxymethyl-ethylamino)-piperidin-1-yl]-N-methyl-2-phenylacetamide or an acid addition salt thereof.

7. **(Previously presented)** The pharmaceutical composition according to claim 1, wherein the weight ratio of the anticholinergic to the NK₁ receptor antagonist is in the range from 1:100 to 100:1.

8. **(Previously presented)** The pharmaceutical composition according to claim 1, wherein a single administration corresponds to a dosage of the combination of the anticholinergic and the NK₁ receptor antagonist of 0.01 to 10,000 µg.

9. **(Withdrawn-Previously presented)** The pharmaceutical composition according to claim 1, wherein the pharmaceutical composition is in the form of a formulation suitable for inhalation.

10. **(Withdrawn-Previously presented)** The pharmaceutical composition according to claim 9, wherein the pharmaceutical composition is a formulation selected from among inhalable powders, propellant-containing metering aerosols and propellant-free inhalable solutions or suspensions.

11. **(Withdrawn-Previously presented)** The pharmaceutical composition according to claim 10, wherein the pharmaceutical composition is an inhalable powder which contains the anticholinergic and the NK₁ receptor antagonist in admixture with suitable physiologically acceptable excipients selected from the monosaccharides, disaccharides, oligo- and polysaccharides, polyalcohols, salts, or mixtures of these excipients.
12. **(Withdrawn-Previously presented)** The inhalable powder according to claim 11, wherein the excipient has a maximum average particle size of up to 250 µm.
13. **(Withdrawn-Previously presented)** A capsule containing an inhalable powder according to claim 11 or 12.
14. **(Withdrawn-Currently Amended)** The pharmaceutical composition according to claim 10, wherein the pharmaceutical composition is an inhalable powder consisting essentially of the anticholinergic and the NK₁ receptor antagonist.
15. **(Withdrawn-Previously presented)** The pharmaceutical composition according to claim 10, wherein the pharmaceutical composition is a propellant-containing inhalable aerosol comprising the anticholinergic and the NK₁ receptor antagonist in dissolved or dispersed form.
16. **(Withdrawn-Previously presented)** The propellant-containing inhalable aerosol according to claim 15, wherein the propellant gas is n-propane, n-butane or isobutane, or chlorinated and/or fluorinated derivatives of methane, ethane, propane, butane, cyclopropane, or cyclobutane.
17. **(Withdrawn-Previously presented)** The propellant-containing inhalable aerosol according to claim 16, wherein the propellant gas is TG11, TG12, TG134a, TG227 or a mixture thereof.

18. **(Withdrawn-Previously presented)** The propellant-containing inhalable aerosol according to claim 15, further comprising one or more other ingredients selected from the group consisting of cosolvents, stabilizers, surfactants, antioxidants, lubricants and means for adjusting the pH.

19. **(Withdrawn-Previously presented)** The propellant-containing inhalable aerosol according to claim 15, wherein the inhalable aerosol contains up to 5 wt.-% of the anticholinergic and/or the NK₁ receptor antagonist.

20. **(Withdrawn-Previously presented)** The pharmaceutical composition according to claim 10, wherein the pharmaceutical composition is a propellant-free inhalable solution or suspension which contains water, ethanol or a mixture of water and ethanol as solvent.

21. **(Withdrawn-Previously presented)** The inhalable solution or suspension according to claim 20, wherein the pH is 2-7.

22. **(Withdrawn-Previously presented)** The inhalable solution or suspension according to claim 21, wherein the pH is adjusted by means of an acid selected from among hydrochloric acid, hydrobromic acid, nitric acid, sulphuric acid, ascorbic acid, citric acid, malic acid, tartaric acid, maleic acid, succinic acid, fumaric acid, acetic acid, formic acid and propionic acid or a mixture thereof.

23. **(Withdrawn-Previously presented)** The inhalable solution or suspension according to claim 20, further comprising other co-solvents and/or excipients.


24. **(Withdrawn-Previously presented)** The inhalable solution or suspension according to claim 23, wherein the co-solvents are isopropyl alcohol, propyleneglycol, polyethyleneglycol, polypropyleneglycol, glycolether, glycerol, polyoxyethylene alcohols or polyoxyethylene fatty acid esters.

25. **(Withdrawn-Previously presented)** The inhalable solution or suspension according to claim 23, wherein the excipients are surfactants, stabilizers, complexing agents, antioxidants and/or preservatives, flavorings, pharmacologically acceptable salts and/or vitamins.
26. **(Withdrawn-Currently Amended)** The inhalable solution or suspension according to claim 25, wherein the complexing agent is editic acid or a salt of editic acid, ~~preferably sodium edetate.~~
27. **(Withdrawn-Previously presented)** The inhalable solution or suspension according to claim 25, wherein the antioxidants are ascorbic acid, vitamin A, vitamin E, or tocopherols.
28. **(Withdrawn-Previously presented)** The inhalable solution or suspension according to claim 25, wherein the preservatives are cetyl pyridinium chloride, benzalkonium chloride, benzoic acid, or benzoates.
29. **(Withdrawn-Previously presented)** The inhalable solution or suspension according to claim 23, consisting essentially of the anticholinergic, the NK₁ receptor antagonist, the solvent, benzalkonium chloride, and sodium edetate.
30. **(Withdrawn-Previously presented)** The inhalable solution or suspension according to claim 23, consisting essentially of the anticholinergic, the NK₁ receptor antagonist, the solvent, and benzalkonium chloride.
31. **(Withdrawn-Previously presented)** The inhalable solution or suspension according to claim 20, wherein the inhalable solution or suspension is a concentrate or a sterile ready-to-use inhalable solution or suspension.
32. – 33. **(Canceled)**

34. **(Withdrawn-Previously presented)** The propellant-containing inhalable aerosol according to claim 17, wherein the propellant gas is TG134a, TG227 or a mixture thereof.

35. **(Currently Amended)** A method of treatment of a disease selected from the group consisting of asthma, chronic obstructive pulmonary disease, pulmonary hypertension, allergic rhinitis and non-allergic rhinitis, comprising administering to a mammal in need of such treatment a therapeutically effective amount of a pharmaceutical composition according to claim 1.

36. **(Previously presented)** A kit comprising:
(a) a first container containing a first pharmaceutical formulation comprising one or more anticholinergics of formula 1



wherein:

X⁻ is an anion with a single negative charge,


or an enantiomer, mixture of the enantiomers, racemate, solvate, or hydrate thereof;

and

(b) a second container containing a second pharmaceutical formulation comprising one or more NK₁ receptor antagonists, or an enantiomer, mixture of the enantiomers, racemate, solvate, or hydrate thereof.

37. **(Currently Amended)** A method of treatment ~~and/or prevention of an inflammatory or obstructive~~ of a disease of the respiratory tract selected from the group consisting of asthma, chronic obstructive pulmonary disease, pulmonary hypertension,

allergic rhinitis and non-allergic rhinitis, comprising administering simultaneously or sequentially to a mammal in need of such a treatment a therapeutically effective amount of a first pharmaceutical formulation comprising one or more anticholinergics of formula 1



wherein:

X⁻ is an anion with a single negative charge, or an enantiomer, mixture of the enantiomers, racemate, solvate, or hydrate thereof; and

a second pharmaceutical formulation comprising one or more NK₁ receptor antagonists or an enantiomer, mixture of the enantiomers, racemate, solvate, or hydrate thereof each of the anticholinergic and the NK₁-receptor antagonist optionally in the form of an enantiomer, mixture of the enantiomers, racemate, solvate, or hydrate thereof.